NOTIFICATION.

(LAW DEPARTMENT).

No LAW 157 LOR 62, dated Bangalore, the 6th October 1962.

Ordered that the accompanying Notification No G S R. 1114, dated the 10th August 1962, of the Ministry of Works, Housing and Supply (Central Boilers Board), amending the Indian Boiler Regulations, 1950, which has been published in the *Gazette of India*, Part II, Section 3, sub-section (i), dated the 25th August 1962, be republished in the *Mysore Gazette*, for general information.

By Order and in the name of the Governor of Mysore,

127 S. SRIPADARAJ, *Under Secy. to Govt., L.D.*

GOVERNMENT OF INDIA.

MINISTRY OF WORKS, HOUSING AND SUPPLY.

(Central Boilers Board).

New Delhi, the 10th August 1962

G S R 1114—In exercise of the powers conferred by section 28 of the Indian Boilers Act, 1923 (5 of 1923) the Central Boilers Board hereby makes the following Regulations further to amend the Indian Boiler Regulations, 1950, the same having been previously published as required by sub section (1) of section 31 of the said Act, namely —

1. These Regulations may be called the Indian Boiler (Twenty-fourth Amendment) Regulations, 1962

2 In the Indian Boiler Regulations, 1950,—

(i) in Regulation 383, in clause (c), the words "Integral economisers shall be deemed as component heating surface" shall be omitted,

(ii) for Regulation 385, the following Regulation shall be substituted, namely —

"385. *Registration fee* —The fee required to accompany an application under sub section (1) of section 7 of the Act shall be

	Rs.
For Boiler Rating not exceeding 100	70
For Boiler Rating exceeding 100 but not exceeding 300	85
For Boiler Rating exceeding 300 but not exceeding 500	100
For Boiler Rating exceeding 500 but not exceeding 700	120
For Boiler Rating exceeding 700 but not exceeding 900	140
For Boiler Rating exceeding 900 but not exceeding 1,100	160
For Boiler Rating exceeding 1,100 but not exceeding 2,000	180
For Boiler Rating exceeding 2,000 but not exceeding 4,000 ...	210
For Boiler Rating exceeding 4,000 but not exceeding 6,000	240
For Boiler Rating exceeding 6,000 but not exceeding 8,000 .	270
For Boiler Rating exceeding 8,000 but not exceeding 10,000	300
For Boiler Rating exceeding 10,000 but not exceeding 12,000	350
For Boiler Rating exceeding 12,000 but not exceeding 14,000	400
For Boiler Rating exceeding 14,000 but not exceeding 16,000	450
For Boiler Rating exceeding 16,000 but not exceeding 18,000	500
For Boiler Rating exceeding 18,000 but not exceeding 20,000	550
For Boiler Rating exceeding 20,000 but not exceeding 22,000	600
For Boiler Rating exceeding 22,000 but not exceeding 24,000	650
For Boiler Rating exceeding 24,000 but not exceeding 26,000	700
For Boiler Rating exceeding 26,000 but not exceeding 28,000	750
For Boiler Rating exceeding 28,000 but not exceeding 30,000	800

Above 30 000 for every 2 000 or part thereof, an additional fee of Rs 25 shall be charged

Provided that the Chief Inspector may direct that no fee shall be payable in respect of a fresh application made in pursuance of sub section or section 14 of the Act",

(iii) in Regulation 394, in clause (a), the words "nor shall a separate fee be charged for their inspection", shall be omitted

[No BL-9 (37) 61-S & P II]

S N SEN GUPTA, Secy